

	REVISIONS							
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
2	15-0207	-1A CH'D MATERIAL WAS 4130 IS 4140/41421B CH'D MATERIAL WAS 4130 IS A36.	8/11/2015	RJC	JAG			





NOTE: REF. ROLLS ROYCE T/N: 6795586 REV A.

WRENCH-SPANNER, COMPRESSOR REAR BEARING RETAINER NUT

RB6795586

ASSY QTY	ASSY QTY	B/O	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	M
	Χ		-1	1	WRENCH WELDMENT			2	1 -
	1		-1A		SOCKET	4140/4142		3	].
	1		-1B		HANDLE	A36		4	],
			-2	-1	BUSHING	BRASS		5	Ľ
	ASSY -1								S

//AT'L		DRAWN
	HERWISE SPECIFIED	APPRO
.XXX ± .010	FRACTIONS ± 1/64	HEAT TREAT
.XX ± .03	ANGLES ±1°	FINISH

ANGLES ±1°


1. BREAK ALL SHARP EDGES .015 x 4
OR .015R


2. DIMENSIONAL LIMITS APPLY AFTEI
PLATING DATE 8/10/2015 SCALE 1:2


DWG NO.

57	95586		REV 2		
	DRAWN BY:	CLOUGH			
ED	APPROVED	9 Gilber	ť		
64	HEAT TREAT	,,			
	FINISH				
45°	SPEC				
ER	USED ON MODEL				
LIX	R.R. T63-	A-5, YT63-A-5, 3	3, 1		
8/	10/2015	SHEET 1 OF	5		

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED









WRENCH-SPANNER, COMPRESSOR REAR BEARING RETAINER NUT

DWG NO.

SCALE

RB6795586-1

REV

MAT'L

DRAWN BY:

CLOUGH

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

XXX ± .010 FRACTIONS ± 1/64
XX ± .03 ANGLES ±1°

X ± .1 SEPEC. COST

1:2

CAD PLATE YELLOW

1. BREAK ALL SHARP EDGES .015 x 45\*
OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


SPEC QQ-P-416F, TYPE II, CLASS II
USED ON MODEL


R.R. T63-A-5. YT63-A-5 3 1


8/7/2015 SHEET 2 OF 5


WRENCH WELDMENT

	REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED		
2	15-0207	-1A CH'D MATERIAL WAS 4130 IS 4140/4142.	8/11/2015	RJC	JAG		









SECTION B-B



WRENCH-SPANNER, COMPRESSOR REAR BEARING RETAINER NUT

DWG NO.

SCALE

RB6795586-1A

8/7/2015

REV 2

MAT'L 4140/4142	DRAWN BY:
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED
.XXX ± .010 FRACTIONS ± 1/64	HEAT TREAT
XX + 03	EINISH

9 Gil RC 32-36 SEE -1

1:2


USED ON MODEL R.R. T63-A-5, YT63-A-5, 3, 1

CLOUGH

SHEET 3 OF 5


1 /	<b>A</b> )
	"
_	
	17


SOCKET




revisions						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	











BUSHING